

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Currently amended) A genetically modified plant cell comprising at least one foreign nucleic acid molecule that reduces the expression of at least one endogenous gene encoding an OK1 protein, which wherein said genetically modified plant cell has a reduced activity of at least one OK1 protein in comparison with corresponding wild type plant cells that have not been genetically modified.
2. (Currently amended) The genetically modified plant cell according to Claim 1, wherein the ~~genetic modification comprises~~ at least one foreign nucleic acid molecule ~~introduced into the genome of the plant cell comprises~~:
 - a) a nucleic acid molecule coding a protein having the amino acid sequence of SEQ ID NO: 4;
 - b) a nucleic acid molecule coding a protein having an amino acid sequence with at least 95% identity to SEQ ID NO: 4;
 - c) a nucleic acid molecule comprising the nucleotide sequence of SEQ ID NO: 3, or the complementary sequence thereof; or
 - d) a nucleic acid molecule having at least 95% identity to the nucleic acid molecule of a) orc).
3. (Currently amended) The genetically modified plant cell according to Claim ~~2~~1, wherein the foreign nucleic acid molecule comprises at least one sequence coding an OK1 protein.
4. (Currently amended) The genetically modified plant cell according to Claim ~~2~~1, wherein the foreign nucleic acid molecule comprises:
 - a. a DNA molecule, which codes at least one antisense RNA, which reduces expression of at least one endogenous gene, ~~which codes encoding~~ an OK1 protein;
 - b. a DNA molecule, which by a co-suppression effect reduces expression of at least one endogenous gene, ~~which codes encoding~~ an OK1 protein;
 - c. a DNA molecule, which codes at least one ribozyme, which splits specific transcripts of at least one endogenous gene, ~~which codes encoding~~ an OK1 protein;

- d. a DNA molecule, which codes for at least one antisense RNA and at least one sense RNA, wherein the said antisense RNA and the said sense RNA form a double-stranded RNA molecule, which reduces expression of at least one endogenous gene, ~~which codes~~ encoding an OK1 protein;
 - e. a nucleic acid molecule introduced by *in vivo* mutagenesis, which leads to a mutation or an insertion of a heterologous sequence in at least one endogenous gene coding an OK1 protein, wherein the mutation or insertion reduces expression of a gene encoding an OK1 protein or results in the synthesis of inactive OK1 proteins;
 - f. a nucleic acid molecule, which encodes an antibody, wherein the antibody reduces activity of at least one OK1 protein by binding at least one OK1 protein;
 - g. a DNA molecule comprising one or more transposons, wherein the integration of these transposons leads to a mutation or an insertion in at least one endogenous gene encoding an OK1 protein, which reduces expression of at least one gene coding an OK1 protein, or results in the synthesis of inactive OK1 proteins; or
 - h. a T-DNA molecule, which, due to insertion in at least one endogenous gene coding an OK1 protein, reduces expression of at least one gene encoding an OK1 protein, or results in the synthesis of inactive OK1 protein.
5. (Previously presented) The plant cell according to Claim 1, which synthesises a modified starch in comparison with corresponding wild type plant cells that have not been genetically modified.
6. (Previously presented) A plant comprising one or more plant cells according to Claim 1.
7. (Previously presented) A plant according to Claim 6, which is a starch-storing plant.
8. (Previously presented) A plant according to Claim 7, which is a wheat or maize plant.
9. (Previously presented) A plant according to Claim 6, which has a high starch phenotype.
10. (Previously presented) Propagation material of a plant according to Claim 6.
11. (Previously presented) A harvestable plant part of a plant according to Claim 6.

12. (Currently amended) A method of manufacturing a genetically modified plant according to Claim 6 comprising:

- a. genetically modifying a plant cell by introducing at least one foreign nucleic acid molecule that reduces the expression of at least one endogenous gene encoding an OK1 protein into said plant cell, wherein said genetically modified plant cell-the genetic modification increases ~~has a reduced~~ the activity of at least one OK1 protein in comparison with corresponding wild type plant cells that have not been genetically modified;
- b. regenerating a plant from one or more genetically modified plant cells from Step a);
and
- c. optionally producing one or more additional plants from a plant according to Step b).

13. (Previously presented) The method according to Claim 12, wherein the genetic modification in step a) comprises at least one foreign nucleic acid molecule introduced into the genome of the plant cell.

14. (Currently amended) The method according to Claim 13, wherein the foreign nucleic acid molecule comprises:

- a. a DNA molecule, which codes at least one antisense RNA, which reduces expression of at least one endogenous gene; ~~which codes encoding~~ an OK1 protein;
- b. a DNA molecule, which by a co-suppression effect reduces expression of at least one endogenous gene; ~~which codes encoding~~ an OK1 protein;
- c. a DNA molecule, which codes at least one ribozyme, which splits specific transcripts of at least one endogenous gene; ~~which codes encoding~~ an OK1 protein;
- d. a DNA molecule, which codes at least one antisense RNA and at least one sense RNA, wherein the said antisense RNA and the said sense RNA form a double-stranded RNA molecule, which reduces expression of at least one endogenous gene; ~~which codes encoding~~ an OK1 protein;
- e. a nucleic acid molecule introduced by *in vivo* mutagenesis, which leads to a mutation or an insertion of a heterologous sequence in at least one endogenous gene encoding an OK1 protein, wherein the mutation or insertion reduces expression of a gene coding an OK1 protein or results in the synthesis of inactive OK1 proteins;

- f. a nucleic acid molecule, which encodes an antibody, wherein the antibody reduces activity of at least one OK1 protein by binding to at least one OK1 protein;
 - g. a DNA molecule comprising one or more transposons, wherein the integration of these transposons leads to a mutation or an insertion in at least one endogenous gene encoding an OK1 protein, which reduces expression of at least one gene coding an OK1 protein, or results in the synthesis of inactive OK1 proteins; or
 - h. a T-DNA molecule, which, due to insertion in at least one endogenous gene encoding an OK1 protein, reduces expression of at least one gene coding an OK1 protein, or results in the synthesis of inactive OK1 protein.
- 15. (Previously presented) The method according to Claim 12, wherein the genetically modified plant synthesises a modified starch in comparison with corresponding wild type plants that have not been genetically modified.
- 16. (Currently amended) A recombinant nucleic acid molecule comprising a promoter, which initiates transcription in plant cells, and at least one nucleic acid sequence comprising:
 - a. a nucleic acid sequence, which codes at least one antisense RNA, which reduces expression of at least one endogenous gene, ~~which codes~~ encoding an OK1 protein;
 - b. a nucleic acid sequence, which by a co-suppression effect reduces expression of at least one endogenous gene, ~~which codes~~ encoding an OK1 protein;
 - c. a nucleic acid sequence, which codes at least one ribozyme, which splits specific transcripts of at least one endogenous gene, ~~which codes~~ encoding an OK1 protein; or
 - d. a nucleic acid sequence, which codes at least one antisense RNA and at least one sense RNA, wherein the said antisense RNA and the said sense RNA form a double-stranded RNA molecule, which reduces expression of at least one endogenous gene; ~~which codes~~ encoding an OK1 protein.
- 17. (Currently amended) A vector comprising a recombinant nucleic acid molecule comprising at least one nucleic acid sequence comprising:
 - a. a nucleic acid sequence, which codes at least one antisense RNA, which reduces expression of at least one endogenous gene, ~~which codes~~ encoding an OK1 protein;
 - b. a nucleic acid sequence, which by a co-suppression effect reduces expression of at least one endogenous gene, ~~which codes~~ encoding an OK1 protein;

- c. a nucleic acid sequence, which codes at least one ribozyme, which splits specific transcripts of at least one endogenous gene, ~~which codes encoding~~ an OK1 protein; or
 - d. a nucleic acid sequence, which codes at least one antisense RNA and at least one sense RNA, wherein the said antisense RNA and the said sense RNA form a double-stranded RNA molecule, which reduces expression of at least one endogenous gene; ~~which codes encoding~~ an OK1 protein.
18. (Previously presented) A host cell, which is genetically modified with a recombinant nucleic acid molecule according to Claim 16.
19. (Currently amended) A composition comprising a recombinant nucleic acid molecule comprising at least one nucleic acid sequence comprising:
- a. a nucleic acid sequence, which codes at least one antisense RNA, which reduces expression of at least one endogenous gene, ~~which codes encoding~~ an OK1 protein;
 - b. a nucleic acid sequence, which by a co-suppression effect reduces expression of at least one endogenous gene, ~~which codes encoding~~ an OK1 protein;
 - c. a nucleic acid sequence, which codes at least one ribozyme, which splits specific transcripts of at least one endogenous gene, ~~which codes encoding~~ an OK1 protein; or
 - d. a nucleic acid sequence, which codes at least one antisense RNA and at least one sense RNA, wherein the said antisense RNA and the said sense RNA form a double-stranded RNA molecule, which reduces expression of at least one endogenous gene; ~~which codes encoding~~ an OK1 protein.
20. (Withdrawn) A modified starch obtainable from a genetically modified plant according to Claim 6, or propagation material or a harvestable part therefrom.
21. (Withdrawn) A method for manufacturing a modified starch comprising extracting the starch from a plant cell according to Claim 1.
22. (Withdrawn) A method for manufacturing a modified starch comprising extracting the starch from a plant according to Claim 6, and/or from a starch-storing part thereof.
23. (Withdrawn) A method for manufacturing a modified starch comprising extracting the starch from a harvestable plant part according to Claim 11.

24. (Canceled)
25. (Withdrawn) A modified starch obtainable by a method according to Claim 21.
26. (Withdrawn) A method for manufacturing a derived starch, comprising deriving a modified starch according to Claim 25.
27. (Withdrawn) A derived starch obtainable by a method according to Claim 26.
28. (Canceled)
29. (Previously presented) A host cell, which is genetically modified with a vector according to Claim 17.
30. (New) The genetically modified plant cell according to Claim 1, wherein the foreign nucleic acid molecule comprises
- (a) a DNA molecule, which codes at least one antisense RNA, which reduces reduces the expression of at least one endogenous gene encoding an OK1 protein, said DNA molecule comprising at least 100 nucleotides of said at least one endogenous gene;
 - (b) a DNA molecule which, via a co-suppression effect, reduces the expression of at least one endogenous gene encoding an OK1 protein, said DNA molecule comprising at least 100 nucleotides of said at least one endogenous gene; or
 - (c) a DNA molecule that simultaneously encodes at least one antisense RNA and at least one sense RNA, where said antisense RNA and said sense RNA form a double-stranded RNA molecule that reduces the expression of at least one endogenous gene encoding an OK1 protein, said DNA molecule comprising at least 100 nucleotides of said at least one endogenous gene.
31. (New) The genetically modified plant cell according to Claim 1, wherein the foreign nucleic acid molecule comprises
- (a) a DNA molecule, which codes at least one antisense RNA, which reduces the expression of at least one endogenous gene encoding an OK1 protein, said DNA molecule comprising at least 500 nucleotides of said at least one endogenous gene;

- (b) a DNA molecule which, via a co-suppression effect, reduces the expression of at least one endogenous gene encoding an OK1 protein, said DNA molecule comprising at least 500 nucleotides of said at least one endogenous gene; or
- (c) a DNA molecule that simultaneously encodes at least one antisense RNA and at least one sense RNA, where said antisense RNA and said sense RNA form a double-stranded RNA molecule that reduces the expression of at least one endogenous gene encoding an OK1 protein, said DNA molecule comprising at least 500 nucleotides of said at least one endogenous gene.

32. (New) The method according to Claim 14, wherein the foreign nucleic acid molecule comprises

- (a) a DNA molecule, which codes at least one antisense RNA, which reduces the expression of at least one endogenous gene encoding an OK1 protein, said DNA molecule comprising at least 100 nucleotides of said at least one endogenous gene;
- (b) a DNA molecule which, via a co-suppression effect, reduces the expression of at least one endogenous gene encoding an OK1 protein, said DNA molecule comprising at least 100 nucleotides of said at least one endogenous gene; or
- (c) a DNA molecule that simultaneously encodes at least one antisense RNA and at least one sense RNA, where said antisense RNA and said sense RNA form a double-stranded RNA molecule that reduces the expression of at least one endogenous gene encoding an OK1 protein, said DNA molecule comprising at least 100 nucleotides of said at least one endogenous gene.

33. (New) The method according to Claim 14, wherein the foreign nucleic acid molecule comprises

- (a) a DNA molecule, which codes at least one antisense RNA, which reduces the expression of at least one endogenous gene encoding an OK1 protein, said DNA molecule comprising at least 500 nucleotides of said at least one endogenous gene;
- (b) a DNA molecule which, via a co-suppression effect, reduces the expression of at least one endogenous gene encoding an OK1 protein, said DNA molecule comprising at least 500 nucleotides of said at least one endogenous gene; or
- (c) a DNA molecule that simultaneously encodes at least one antisense RNA and at least one sense RNA, where said antisense RNA and said sense RNA form a double-

stranded RNA molecule that reduces the expression of at least one endogenous gene encoding an OK1 protein, said DNA molecule comprising at least 500 nucleotides of said at least one endogenous gene.

34. (New) The recombinant nucleic acid molecule according to Claim 16, wherein the foreign nucleic acid molecule comprises

- (a) a DNA molecule, which codes at least one antisense RNA, which reduces the expression of at least one endogenous gene encoding an OK1 protein, said DNA molecule comprising at least 100 nucleotides of said at least one endogenous gene;
- (b) a DNA molecule which, via a co-suppression effect, reduces the expression of at least one endogenous gene encoding an OK1 protein, said DNA molecule comprising at least 100 nucleotides of said at least one endogenous gene; or
- (c) a DNA molecule that simultaneously encodes at least one antisense RNA and at least one sense RNA, where said antisense RNA and said sense RNA form a double-stranded RNA molecule that reduces the expression of at least one endogenous gene encoding an OK1 protein, said DNA molecule comprising at least 100 nucleotides of said at least one endogenous gene.

35. (New) The recombinant nucleic acid molecule according to Claim 16, wherein the foreign nucleic acid molecule comprises

- (a) a DNA molecule, which codes at least one antisense RNA, which reduces the expression of at least one endogenous gene encoding an OK1 protein, said DNA molecule comprising at least 500 nucleotides of said at least one endogenous gene;
- (b) a DNA molecule which, via a co-suppression effect, reduces the expression of at least one endogenous gene encoding an OK1 protein, said DNA molecule comprising at least 500 nucleotides of said at least one endogenous gene; or
- (c) a DNA molecule that simultaneously encodes at least one antisense RNA and at least one sense RNA, where said antisense RNA and said sense RNA form a double-stranded RNA molecule that reduces the expression of at least one endogenous gene encoding an OK1 protein, said DNA molecule comprising at least 500 nucleotides of said at least one endogenous gene.

36. (New) The vector according to Claim 17, wherein the foreign nucleic acid molecule comprises

- (a) a DNA molecule, which codes at least one antisense RNA, which reduces the expression of at least one endogenous gene encoding an OK1 protein, said DNA molecule comprising at least 100 nucleotides of said at least one endogenous gene;
- (b) a DNA molecule which, via a co-suppression effect, reduces the expression of at least one endogenous gene encoding an OK1 protein, said DNA molecule comprising at least 100 nucleotides of said at least one endogenous gene; or
- (c) a DNA molecule that simultaneously encodes at least one antisense RNA and at least one sense RNA, where said antisense RNA and said sense RNA form a double-stranded RNA molecule that reduces the expression of at least one endogenous gene encoding an OK1 protein, said DNA molecule comprising at least 100 nucleotides of said at least one endogenous gene.

37. (New) The vector according to Claim 17, wherein the foreign nucleic acid molecule comprises

- (a) a DNA molecule, which codes at least one antisense RNA, which reduces the expression of at least one endogenous gene encoding an OK1 protein, said DNA molecule comprising at least 500 nucleotides of said at least one endogenous gene;
- (b) a DNA molecule which, via a co-suppression effect, reduces the expression of at least one endogenous gene encoding an OK1 protein, said DNA molecule comprising at least 500 nucleotides of said at least one endogenous gene; or
- (c) a DNA molecule that simultaneously encodes at least one antisense RNA and at least one sense RNA, where said antisense RNA and said sense RNA form a double-stranded RNA molecule that reduces the expression of at least one endogenous gene encoding an OK1 protein, said DNA molecule comprising at least 500 nucleotides of said at least one endogenous gene.